Gold Mark
金印数控

济南金印数控产品一览表

Jinan Gold Mark CNC Machiney Co.LTD Product List

目录

Contents

01 激光雕刻机
Laser engraver

02 光纤金属打标机
Fiber laser marking machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

01

激光雕刻机

Laser Engraving Machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS2030 小型激光雕刻机

TS2030 Mini laser engraving machine



40W Machine Size: 800*500*260mm
40W Packing Size: 965*660*395mm
40W Weight :42KG

Model	TS2030 laser engraving and cutting machine
Colour	Blue/ White
Working Table Size	300mmm *200mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb
Laser Power	40W
Cutting Speed	0-60 mm/s
Engraving Speed	0-400mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	Corellaser （CorelDraw Direct Output)
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<350W (Total)
Cooling way	Water cooling
Machine Size	810*500*260mm
Gross Weight	40KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable

TS2030丨小型激光雕刻机

TS2030 Mini laser engraving machine

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD





产品介绍 | Product introduction

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控

TS4030 小型激光雕刻机

TS4030 Desktop laser engraving machine



50W M2/ruida
Machine size: 850*560*400mm
Packing size: 950*660*550mm
Weight: 70KG

Model	TS3040 laser engraving and cutting machine
Colour	Orange and Grey
Working Table Size	400mmm *300mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb
Laser Power	50W
Cutting Speed	0-3600 mm/min
Engraving Speed	0-24000mm/min
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	CorelDraw (Direct Output)
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic (0-250mm adjustable)
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Machine Size	850*560*400mm
Package Size	950*660*550mm
Gross Weight	70KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable

TS4030丨小型激光雕刻机

TS4030 Desktop laser engraving machine

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控





济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS4040 小型激光雕刻机

TS4040 Mini laser engraving machine



Model NO.	TS4040
Laser power	50W
Voltage	AC220±10% or AC110±10% 50Hz /AC110±10% 60Hz
Laser power supply	50w type anti-static laser power supply
Control board	M-USB high speed motherboard
Computer System	XP/WIN7/Win8/Win10
Adjust height	0-10mm (depending on the material)
Positioning accuracy	<0.01mm
Minimum shaping character	Chinese characters:2 x 2mm letters: 1 x1mm
Support software	coreldraw corellaser
Red light location	Yes
Air blower protection	Yes
honeycomb platform	Yes
Machine weight	45 KG
Exterior dimension	L900*W700*H250mm
Dimension after packing	L1000*W800*H380mm

50W M2
Machine size: 900*700*250mm
Packing size: 1000*800*380mm
Weight: 45KG

CE FDA


TS4040丨小型激光雕刻机

TS4040 Mini laser engraving machine

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控



CE FDA



CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS4060 激光雕刻机（带脚架）—

TS4060 Laser engraving machine（With stand）



50W/60W/80W100W W2 reci M2
Packing size: 1480*880*870mm
Weight: 140KG

Model	TS4060 laser engraving and cutting machine
Colour	Blue and white
Working Table Size	600mmm *400mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb (Aluminum optional)
Laser Power	50W/60W/80W100W W2 reci
Cutting Speed	0-60 mm/s
Engraving Speed	0-400mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	coreldraw corellaser
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Cutting thickness	Please consult sales
Packing Size	148*86*87cm
Gross Weight	140KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables like laser tube, mirror and lens, etc.
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare focus lens Spare reflecting mirror Spare rotary for cylinder materials Industrial Water cooler

TS4060丨激光雕刻机（带脚架）—

TS4060 Laser engraving machine（With stand）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控



CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS4060 激光雕刻机（带脚架）二

TS4060 Laser engraving machine（With stand）



50W/60W/80W100W W2 reci Ruida
Packing size: 1480*860*870mm
Weight: 140KG

Model	TS4060 laser engraving and cutting machine
working table size	600mm*400mm
laser tube	sealed co2 glass tube
working table	honeycomb
laser power	50W/80W/60W/90W
cutting speed	0-60mm/s
engraving speed	0-500mm/s
resolution	+-0.05mm/1000DPI
minimum letter	english 1*1mm
support fils	BMP,HPGL,PLT,DSTandAI
interface	USB2.0
software	RD works V8
computer systen	windowsXP/win7/win8/win10
motor	stepper motor
power voltage	AC100or220V+-10%,50-60hz
power cable	europen type/china type/america type/uk type
working environment	0-45℃（temperature） 5-95%（humidity）
power consumption	<900W(total)
Z-Axis Movement	automatic(0-180mm adjustable)
position system	red-light pointer
cooling way	water coling and protection system
cutting thickness	please consult sales
rotary device	optional
industrial water cooler	optional
packing size	148*86*87cm
gtoss weight	140kg
package	standard plywood case for export
warranty	all life free support,one year warranty ,except consumables
free accessories	Air compressor/water pimp/air pipe/water pipe/software and dongle/english user manual/usb cable /power cable

TS4060丨激光雕刻机Ruida（带脚架）二

TS4060 Laser engraving machine（With stand）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD







济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS4060 激光雕刻机（无脚架）三

TS4060 Laser engraving machine（Unsupported）



50W/60W/80W100W W2 reci M2
Packing size: 1480*860*870mm
Weight: 120KG


Model	TS4060 laser engraving and cutting machine
Colour	Blue and white
Working Table Size	600mmm *400mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb (Aluminum optional)
Laser Power	50W/60W/80W100W W2 reci
Cutting Speed	0-60 mm/s
Engraving Speed	0-400mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	coreldraw corellaser
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Cutting thickness	Please consult sales
Packing Size	148*86*87cm
Gross Weight	140KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables like laser tube, mirror and lens, etc.
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare focus lens Spare reflecting mirror Spare rotary for cylinder materials Industrial Water cooler

TS4060丨激光雕刻机（无脚架）三

TS4060 Laser engraving machine（Unsupported）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD







control switch

Emerhency Stop Button

Laser tube






Red position

position visible,accurate, quick and efficient

Water protection

hen the water is disconnected, ser tube stop working,protect e safety of laser tube intime





IN and Out

of the water pipe

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS6090 激光雕刻机（M2标配）—

TS6090 Laser engraving machine（M2Standard）



60W/80W/100W reci M2/100W
Packing size: 1650*1090*1030mm
Weight: 180KG

Model	TS6090 laser engraving and cutting machine
Colour	Blue and white
Working Table Size	600mmm *900mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb (Aluminum optional)
Laser Power	60W/80W/100W reci M2/100W
Cutting Speed	0-60 mm/s
Engraving Speed	0-400mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	Corellaser（support coreldraw direct output）
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Cutting thickness	Please consult sales
Packing Size	155x109x103cm
Gross Weight	180KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables like laser tube, mirror and lens, etc.
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare focus lens Spare reflecting mirror Spare rotary for cylinder materials Industrial Water cooler

TS6090丨激光雕刻机（M2标配）—

TS6090 Laser engraving machine（M2Standard）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控





CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS6090 激光雕刻机（Ruida标配）二

TS6090 Laser engraving machine（Ruida Standard）



60W/80W/100W reci M2/100W
Packing size: 1730*1080*900mm
Weight: 180KG

Model	TS6090 laser engraving and cutting machine
Colour	Blue and white
Working Table Size	600mmm *900mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb
Laser Power	60W/80W/100W reci M2/100W
Cutting Speed	0-60 mm/s
Engraving Speed	0-500mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	RD Works
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Cutting thickness	Please consult sales
Packing Size	173*108*90cm
Gross Weight	180KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables like laser tube, mirror and lens, etc.
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare focus lens Spare reflecting mirror Spare rotary for cylinder materials Industrial Water cooler

TS6090丨激光雕刻机(Ruida标配）二

TS6090 Laser engraving machine（Ruida Standard）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控



Ruida control system







CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS6090 激光雕刻机（Ruida标配）三

TS6090 Laser engraving machine（Ruida Standard）



60W/80W/100W reci M2/100W
Packing size: 1730*1080*900mm
Weight: 180KG


Model	TS6090 laser engraving and cutting machine
Colour	Blue and white
Working Table Size	600mmm *900mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb
Laser Power	60W/80W/100W reci M2/100W
Cutting Speed	0-60 mm/s
Engraving Speed	0-500mm/s
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	RD Works
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Power consumption	<900W (Total)
Z-Axis Movement	Automatic
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Cutting thickness	Please consult sales
Packing Size	173*108*90cm
Gross Weight	180KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables like laser tube, mirror and lens, etc.
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare focus lens Spare reflecting mirror Spare rotary for cylinder materials Industrial Water cooler

TS6090丨激光雕刻机(Ruida标配）三

TS6090 Laser engraving machine（Ruida Standard）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD





济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控

TS1390 激光雕刻机（Ruida高配）二

TS1390 Laser engraving machine（Ruida、High type）



80WF2/100WF4/130WF6/100W
W2reci
Machine size: 1840*1050*1480mm
Weight: 490KG

Model	TS1390 laser engraving and cutting machine
Colour	Red and white,black and yellow
Working Table Size	1300mmm *900mm
Laser Tube	Sealed CO2 glass Tube
Working Table	Honeycomb (Aluminium optional)
Laser Power	80WF2/100WF4/130WF6/100W W2reci
Cutting Speed	0-18000 mm/min
Engraving Speed	0-30000mm/min
Resolution	±0.05mm/1000DPI
Minimum Letter	English 1×1mm (Chinese Characters 2*2mm)
Support Fils	BMP,HPGL,PLT,DST and AI
Interface	USB2.0
Software	Rdworks
Computer system	Windows XP/win7/ win8/win10
Motor	Stepper Motor
Power Voltage	AC 110 or 220V±10%,50-60Hz
Power cable	European Type/China Type/America Type/UK Type
Working Environment	0-45℃(temperature) 5-95%(humidity)
Z-Axis Movement	Automatic (0-250mm adjustable)
Position system	Red-light pointer
Cooling way	Water cooling and protection system
Packing Size	178*147*105cm
Gross Weight	350KG
Package	Standard plywood case for export
Warranty	All life free tech support, one year warranty, except consumables
Free accessories	Air Compressor/Water Pump/Air Pipe/Water Pipe/Software and Dongle/ English User Manual/USB Cable/Power Cable
Optional parts	Spare Focus lens Spare Reflecting mirror Spare Rotary for cylinder materials Industrial Water Chiller

TS1390丨激光雕刻机(Ruida高配）二


TS1390 Laser engraving machine（Ruida 、High type）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控





input socket

Built-in multi-socket panel, external devices convient, more humane,more secure

control panel

industrial color screen, can monitor, adjustable output file





guide rail

57 motor

power 2 times higher than common motors, strong power reliable ability, fast and safe, machine running smoothly



CE FDA



Safety protection system

Each switch works with each other to make the work safer, more efficient and more efficient

Laser Tube

quality reliability and stability



济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控

TS1390 激光混切机（Ruida）—

TS1390 Mixed laser cutting machine（Ruida）



80WF2/100WF4/130WF6/100W
W2reci
Packing size: 1980*1750*1400mm
Weight: 490KG

model	TS1390-H
working area	1300*900mm
laser power	Beijing RECI 150W
laser type	co2 sealed laser tube
laser head	metal laser head with follow-up control system
controller	ruida 6332M controller
cooling type	water cooling
water chiller	CW5200
work table	Blade table
engraving speed	0-60000mm/min
cutting speed	0-36000mm/min
laser output control	0-100%set by software
min engracing size	chinese:2.0mm*2.0mm.english letter :1.0mm*1.0mm
locating acccuracy	<=+-0.01mm
controlling software	Ruida contral sustem 6332M,metal cut software ,USB interface
graphic format supported	DST PLT BMP SXF DWG AI LAS etc
compatible software	CORELDRAW ,PHOTOSHOP ,AUTOCAD,TAJIMA,ETC
red point	Yes
drive system	stepper motor
auxiliary equipments	Exhaust fan and air exhaust pipe
power supply	AC110V/220V+10%.50HZ/60HZ
working environment	temperature:0-45C,humidity 5-958%(no condesate water)
optional parts	Rotary/up-down table


TS1390丨激光混切机(Ruida）—

TS1390 Mixed laser cutting machine（Ruida）

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控



CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

TS1325 激光雕刻机

TS1325 Laser engraving machine



CE FDA

60W/80W/100W/130W/150W
Machine size: 3140*2130*1520mm
Weight: 850KG

Working Area	1300*2500*200mm
Lathe Structure	Welded Structure
Spindle Motor	3KW Water-Cooling (4.5/5.5KW Option)
Rotating Speed of Spindle	24,000RPM
Working Mode	Stepper (Servo Motor Option)
Table structure	T-slot table
Inverter	BEST inverter
Drive Mechanism	Rack and pinion for X,Y, Ball screw for Z Axis
Linear Guide Rails	Round Orbits (Square Rails Option from Taiwan)
Motion Positioning Accuracy	± 0.02/300mm
Re positioning Accuracy	± 0.0254mm
Max Motion Speed	20,000mm/min
Max Working Speed	15,000mm/min
Engraving Tools	Ø3.175mm, Ø6mm
Command	G code, *uoo, *mmg, *plt, *nc
Operating Voltage	AC220V,50~60Hz
Control System	NC Studio (DSP control Optional)
Interface	USB
Flash Memory	128M
Software	Type3, Ucancam, ArtCAM
Vaccum Table	Optional
Vaccum Pump	Optional
Rotary	Optional
Packing	3140x2130x1520mm
Net Weight	700KGS
Gross Weight	800KGS

TS1325丨激光雕刻机


TS1325 Laser engraving machine

济南金印数控设备有限公司

Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控





CE FDA

02

光纤打标机

Fiber Laser Marking Machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

便携式光纤激光打标机

Portable laser marking machine



Power:20W
Working table size:110*110mm/150*150mm
Machine size: 210*680*480mm
Weight: 50KG

Technical Parameters	
Type	TS-20P
Power	20W
Laser Brand	Maxphotonics (Raycus/IPG Optional)
Marking Area	110mm*110mm
Marking Depth	≤0.5mm
Marking Speed	7000/s
Minimum Line Width	0.012mm
Minimum Character	0.15mm
Repeated Precision	±0.003mm
Life-span of Fiber Laser Module	100 000hours
Beam Quality	M2 <1.5
Focus Spot Diameter	<0.01mm
Output Power of Laser	10%~100% continuously to be adjusted
System Operation Environment	Windows XP / W7--32/64bits / W8--32/64bits
Cooling Mode	Air cooling--Built-in
Temperature of Operation Environment	15℃~35℃
Power Input	220V / 50HZ / single phase or 110V / 60HZ / single phase
Power Requirement	<400W
Communication Interface	USB
Machine Dimension/after package	750mm*250mm*550mm
Net Weight/gross weight	42KG/60KG
Optional (Not free of charge)	Rotary Device, Moving Table, other customized Automation

便携式光纤激光打标机
Portable laser marking machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark 金印数控





默认的激光器
laser source :
maxphotonics
（创鑫）



CE FDA

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

分体式光纤激光打标机

Split laser marking machine



Power:20W
Working table size:110*110mm/150*150mm/200*200mm
power:30W
Working table size:150*150mm/200*200mm
Machine size: 720*460*660mm
Weight: 58KG

CE FDA

Type	TS-20F
Power	20W
Laser Brand	Maxphotonics (Raycus/IPG Optional)
Marking Area	110mm*110mm
Optional Marking Area	110mm*110mm/150mm*150mm/200mm*200mm
Marking Depth	≤1.2mm
Marking Speed	7000mm/s
Minimum Line Width	0.012mm
Minimum Character	0.15mm
Repeated Precision	±0.003mm
Life-span of Fiber Laser Module	100 000hours
Beam Quality	M2 <1.5
Focus Spot Diameter	<0.01mm
Output Power of Laser	10%~100% continuously to be adjusted
System Operation Environment	Windows XP / W7--32/64bits / W8--32/64bits
Cooling Mode	Air cooling--Built-in
Temperature of Operation Environment	15℃~35℃
Power Input	220V / 50HZ / single phase or 110V / 60HZ / single phase
Power Requirement	<400W
Communication Interface	USB
Package Dimension	720mm x 460mm x 660mm
Gross weight	58KG
Optional (Not free of charge)	Rotary Device, Moving Table, other customized Automation

分体式光纤激光打标机
Split laser marking machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控





CE FDA

产品介绍 | Product introduction

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控

柜式光纤激光打标机
Cabinet laser marking machine



CE FDA

power:20W
Working table size:110*110mm/150*150mm/200*200mm
power:30W
Working table size:150*150mm/200*200mm
Machine size: 870*770*1100mm
Weight: 105KG

Type	TS-20F
Power	20W
Laser Brand	(Raycus
Optional Marking Area	110mm*110mm/150mm*150mm/200mm*200mm
Marking Depth	≤0.5mm
Marking Speed	7000mm/s
Minimum Line Width	0.012mm
Minimum Character	0.15mm
Repeated Precision	±0.003mm
Life-span of Fiber Laser Module	100 000hours
Beam Quality	M2 <1.5
Focus Spot Diameter	<0.01mm
Output Power of Laser	10%~100% continuously to be adjusted
System Operation Environment	Windows XP / W7--32/64bits / W8--32/64bits
Cooling Mode	Air cooling--Built-in
Temperature of Operation Environment	15℃~35℃
Power Input	220V / 50HZ / single phase or 110V / 60HZ / single phase
Power Requirement	<400W
Communication Interface	USB
Package Dimension	870mm x 770mm x 1100mm
Gross weight	105KG
Optional (Not free of charge)	Rotary Device, Moving Table, other customized Automation

柜式光纤激光打标机
Cabinet laser marking machine

济南金印数控设备有限公司
Jinan Gold Mark CNC Machiney Co.LTD

Gold Mark
金印数控





CE FDA



感谢您的观看

THANK YOU FOR YOUR WATCHING